

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

Description

**SONIC DRIVE IN--ELM**  
**1711 E ELM ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE INSPECTION  
 Occurred 06/23/15

Description Status

OBSERVED: accumulated soil or mold present on the following: walk in cooler racks especially onion ring cart, underneath fryers, make table door gaskets, ice cream blender corners, etc NON-CRITICAL

OBSERVED: floor under fryers has accumulated debris buildup present NON-CRITICAL

OBSERVED: walls under and next to triple sink have build- up of soil and mold; HVAC vent by walk in freezer has mold present

OBSERVED: cook bare handing ready to eat food [ie onion, lettuce, tomato, buns, burgers, chicken strips, etc] during service CRITICAL

Description Status

FOLLOW-UP INSPECTION  
 Occurred 06/30/15

OBSERVED: accumulated grease is still present on the fryer interior structure members, wheels, etc [continue cleaning] NON-CRITICAL

**WENDY'S OLD FASHION HAMBURGERS**  
**3536 COUNTRY CLUB DR**  
**JEFFERSON CITY, MO 65109**

ROUTINE INSPECTION  
 Occurred 06/23/15

Description Status

OBSERVED: Gasket on front upright cooler is torn and in disrepair. NON-CRITICAL

\*\*\* Manager stated there is a gasket on order to replace it. \*\*\*\*

**ARRIS PIZZA PALACE**  
**117 E HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE INSPECTION  
 Occurred 06/03/15

Description Status

OBSERVED: green water hose used as faucet in back prep sink-extension too long. NON-CRITICAL

OBSERVED: Light cover absent over light in dish room. NON-CRITICAL

OBSERVED: shelving units in kitchen with edging coming loose/bare wood present also. NON-CRITICAL

OBSERVED: dust present on ceiling tiles in kitchen/water damage ceiling tile present. NON-CRITICAL

OBSERVED: grease deposit/food debris accumulation under kitchen fryers.

**BURGER KING #2271**  
**2207 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE INSPECTION  
 Occurred 06/04/15

Description Status

OBSERVED: Soda machine in the lobby has splatter and debris present. NON-CRITICAL

OBSERVED: Ice scoop in the drive thru ice bin has chipping and peeling. NON-CRITICAL

**CAPITOL CITY CORK & PROVISIONS**  
**124 E HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE INSPECTION  
 Occurred 06/24/15  
 0

Description Status

No Violations Cited

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**CAPTAIN D'S SEAFOOD**  
**2118 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION

Occurred  
 06/22/15

Description

Description

Status

OBSERVED: Delfield under counter cooler was not maintaining temperature. CRITICAL  
 OBSERVED: Delfield make table and cooler were not maintaining temperature  
 OBSERVED: Men's restroom door does not close properly NON-CRITICAL  
 OBSERVED: Microwave on top shelf has chipping and peeling paint CRITICAL  
 on the inside of the door.  
 OBSERVED: Door seal on lower Delfield refrigerator door is cracked. NON-CRITICAL  
 OBSERVED: Back edge of the Delfield Make Table has food debris NON-CRITICAL  
 present  
 OBSERVED: Soda machine has black debris present  
 OBSERVED: Goose neck on triple sink is hanging below the flood rim. CRITICAL  
 No air gap was present.  
 OBSERVED: Faucet in the mop sink has a hose hanging down in the  
 sink with no back flow preventer present. Also faucet is broken loose  
 from base on the sink.

Description

Status

FOLLOW-UP  
 INSPECTION

Occurred  
 06/23/15

OBSERVED: Door seal on the lower Delfield refrigerator door is NON-CRITICAL  
 cracked.  
 OBSERVED: Men's restroom door does not close properly NON-CRITICAL  
 OBSERVED: Soda machine has black debris present on the under NON-CRITICAL  
 side of fountain  
 OBSERVED: Goose neck on the triple sink in hanging below the flood CRITICAL  
 rim. No air gap was present  
 OBSERVED: Faucet in the mop sink has a hose hanging down in the  
 sink with no back flow preventer present. Also, faucet has broken  
 loose from the base on the sink and is laying in the sink.  
 OBSERVED: Microwave on top shelf has chipping and peeling paint CRITICAL  
 on the inside of the door  
 OBSERVED: Middle microwave has chipping and peeling paint on the  
 inside of the door

**CHICKS TAP ROOM**

**2713 INDUSTRIAL DR STE E**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION

Occurred  
 06/16/15

Description

Status

OBSERVED: bottom, back wall, and fan covers of True 2 door reach NON-CRITICAL  
 in cooler is soiled with dust present [clean]

**CHIPOTLE MEXICAN GRILL**

**1400 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION  
 0

Occurred  
 06/08/15

Description

Status

No Violations Cited

**DAISY DELIGHT**

**2715 E MCCARTY ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Occurred  
 06/04/15

Description

Status

OBSERVED: ice bucket has chipped/cracked edges. NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>DOMINO'S PIZZA</b> <b>1717 CHRISTY DR</b> <b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
ROUTINE INSPECTION	06/19/15		
0		No Violations Cited	
<b>SAPPHIRE'S</b> <b>422 MONROE ST</b> <b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
ROUTINE INSPECTION	06/23/15		
		OBSERVED: hand soap not present at catering hallway hand sink.	NON-CRITICAL
		OBSERVED: sliver of glass observed in glass bar cooler under wire rack.	NON-CRITICAL
<b>DUNN BROS COFFEE</b> <b>3218 W EDGEWOOD DR STE 1300</b> <b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE INSPECTION	06/23/15		
		OBSERVED: interior trash cabinet has trash and food debris accumulation.	NON-CRITICAL
		OBSERVED: walls not clean from beverage spillage on walls in back room.	NON-CRITICAL
		OBSERVED: disposable paper towels not present at front service hand washing sink.	NON-CRITICAL
		OBSERVED: thermometer not working in front display cooler.	NON-CRITICAL
		Ice bucket is broken at bottom.	
		OBSERVED: lights bulbs are not working in back storeroom area.	NON-CRITICAL
		OBSERVED: floors need cleaning from trash and food debris under front service counters, under refrigeration equipment, under 3-compartment sink, under customer self-serve counter.	NON-CRITICAL
		OBSERVED: hand washing soap not available at front service hand sink.	NON-CRITICAL
<b>CAPITOL PLAZA HOTEL / FOUNTAIN COURT LOUNGE</b> <b>415 W MCCARTY ST</b> <b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
ROUTINE INSPECTION	06/30/15		
		OBSERVED: walls and coved base tile in dish station have soil deposits/mold present due to splash and leaks	NON-CRITICAL
<b>FREDDY'S FROZEN CUSTARD</b> <b>2103 MISSOURI BLVD STE A</b> <b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE INSPECTION	06/16/15		
0		No Violations Cited	
<b>FROSTED</b> <b>202 E HIGH ST A</b> <b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
ROUTINE INSPECTION	06/12/15		
0		No Violations Cited	

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>GUMBO BOTTOMS</b> <b>221 MADISON ST</b> <b>JEFFERSON CITY, MO 65101</b>			
ROUTINE INSPECTION	Occurred 06/12/15	Description	Status
0		No Violations Cited	
<b>HAPPY GARDEN</b> <b>2803 W TRUMAN BLVD STE C</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 06/09/15	Description	Status
		OBSERVED: ice scoop for back ice maker stored on paper bags	NON-CRITICAL
		OBSERVED: rice scoop for hot bar stored in dry container [keep at 135 F or higher]	
		OBSERVED: underneath and surrounding wok utility piping is soiled and has debris present	NON-CRITICAL
<b>HARDEE'S #1500561</b> <b>3601 COUNTRY CLUB DR</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 06/03/15	Description	Status
		OBSERVED: No trash can near back hand sink.	NON-CRITICAL
		OBSERVED: Food debris present on the floor in the Walk-In Freezer.	NON-CRITICAL
		OBSERVED: Vent hoods have an accumulation of grease and debris.	CRITICAL
		OBSERVED: Black debris present on the walls in the mop sink area.	NON-CRITICAL
		OBSERVED: Traulsen Cooler has food debris inside and on the door of cooler.	NON-CRITICAL
		OBSERVED: Soda fountain in the lobby has debris and splatter present.	
		OBSERVED: Two holes in the wall in the mop sink area.	NON-CRITICAL
		OBSERVED: No date marks present on the shredded cheese or liquid eggs in the walk-in cooler. Items that are potentially hazardous foods must have date the item was opened and use/ discard within seven days of that date.	CRITICAL
FOLLOW-UP INSPECTION	Occurred 06/10/15	Description	Status
		OBSERVED: Black debris present on the walls in the mop sink area.	NON-CRITICAL
		OBSERVED: Two holes present in the wall in the mop sink area.	NON-CRITICAL
		OBSERVED: Two holes present in the wall under the triple sink.	
<b>HIBACHI GRILL &amp; SUPREME BUFFET</b> <b>730 W STADIUM BLVD</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 06/16/15	Description	Status
		OBSERVED: several walls in various locations are soiled with food debris and splatters, especially the meat room	NON-CRITICAL
		OBSERVED: no trash can readily available at main kitchen hand sink	NON-CRITICAL
		OBSERVED: thermometers missing from some cold holding coolers	NON-CRITICAL
		OBSERVED: cut melons on Cold Bar were above 41 F during display	CRITICAL
		OBSERVED: cold salads on Cold Bar were above 41 F during display; salads were iced to lower temperature while on site	
		OBSERVED: some sushi items were above 41 F during display	
		OBSERVED: cleavers found hanging on magnetic knife bar with food scraps present [clean and sanitize after each use]	CRITICAL
		OBSERVED: cutting boards are being cleaned once or twice a day instead of at least every 4 hours after food contact	
		OBSERVED: employee open drink cups noted in several working	CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name &amp; Address

Description

areas

OBSERVED: single use cups are being reused as found in ingredient bins and food bags CRITICAL

OBSERVED: one hand wash sink without soap; several hand sinks had paper towels but not in a dispenser NON-CRITICAL

OBSERVED: lighting burned out in several fixtures within kitchen and meat room NON-CRITICAL

OBSERVED: excess grease and debris from around grease dumpster is ready to overflow into storm drain, remove excess grease and debris from around grease dumpster NON-CRITICAL

OBSERVED: no sanitizer buckets were found in kitchen for wiping cloths NON-CRITICAL

**HOXTON TAVERN AND GRILL****418 W ELM ST****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE

06/23/15

INSPECTION

Description

Status

OBSERVED: build- up of mold on shatter plate of ice machine inside bin NON-CRITICAL

OBSERVED: excessive dust accumulation present on intake vents of HVAC system NON-CRITICAL

OBSERVED: gasket badly torn on grill make table; replace NON-CRITICAL

OBSERVED: gasket torn on grill freezer door; replace

OBSERVED: hood grease drip pan located on floor, not on drip ledge in hood

**HYVEE GAS #1303****3723 W TRUMAN BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

06/05/15

INSPECTION

0

Description

Status

No Violations Cited

**IMO'S PIZZA****706 MISSOURI BLVD STE D****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

06/01/15

INSPECTION

Description

Status

OBSERVED: Shelf in the Walk-In Cooler has paint peeling and chipping. NON-CRITICAL

OBSERVED: Seal is cracked on the Pepsi cooler NON-CRITICAL

OBSERVED: Bottom of make cooler had food debris present NON-CRITICAL

OBSERVED: Soda machine has splatter and debris present

OBSERVED: Back edge of the Make Table has food debris present

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**LITTLE CAESARS PIZZA**  
**2407 MISSOURI BLVD X**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION

Occurred  
 06/08/15

Description

Description

Status

OBSERVED: light covers not present over lights in food prep/storage areas. NON-CRITICAL

OBSERVED: unfolded pizza boxes not stored six inches off of floor. NON-CRITICAL

OBSERVED: damage floor tile present in kitchen. NON-CRITICAL

OBSERVED: dust present on ceiling tiles. NON-CRITICAL

OBSERVED: potentially hazardous food products in pizza make table cooler not at 41 degrees or below. CRITICAL

Description

Status

FOLLOW-UP  
 INSPECTION

Occurred  
 06/12/15

OBSERVED: damaged floor tile present in kitchen. NON-CRITICAL

OBSERVED: light covers not present over lights in food prep/storage areas. NON-CRITICAL

OBSERVED: unfolded pizza boxes not stored six inches off of floor. NON-CRITICAL

OBSERVED: dust present on ceiling tiles. NON-CRITICAL

**LUTZ' S FAMOUS BBQ**  
**3505 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION

Occurred  
 06/30/15

Description

Status

OBSERVED: hand sink not easily accessible for employee use. NON-CRITICAL

**MCALISTER'S DELI**  
**2323 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION  
 0

Occurred  
 06/15/15

Description

Status

No Violations Cited

**MCDONALD'S**  
**1425 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION

Occurred  
 06/24/15

Description

Status

OBSERVED: Goose Neck faucet leaking. NON-CRITICAL

\*\*\* Manager stated that a part is on order and should be replaced within a few weeks\*\*\*\*\*

**MI PUEBLO BAKERY & TAQUERIA**  
**510 ELLIS BLVD STE F**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Occurred  
 06/18/15

Description

Status

OBSERVED: styrofoam cups being reused as food scoops, being left in food bags NON-CRITICAL

OBSERVED: single serve knives, forks, and spoons presented eating surface to customer instead of handle first NON-CRITICAL

OBSERVED: boxes of styrofoam cups stored on floor, not 6 inches above

OBSERVED: open or ready to eat food found below and with raw meat in following 3 locations [1] Frigidaire freezer [2] Walk in Cooler [3] bakers table CRITICAL

OBSERVED: carnitas on grill, available for service, tested below 135 CRITICAL

OBSERVED: no sanitizer buckets noted in working areas for wiping cloths NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

Occurred  
06/26/15

FOLLOW-UP  
INSPECTION  
0

Description

Description

Status

No Violations Cited

**PADDY MALONES IRISH PUB****700 W MAIN ST****JEFFERSON CITY, MO 65101**

Occurred  
06/30/15

ROUTINE  
INSPECTION

Description

Status

OBSERVED: Wall board coming loose by oven. NON-CRITICAL  
 OBSERVED: food debris/grease present around drain board wall area and corner wall/floor area of cooking equipment. NON-CRITICAL

**PIZZA HUT****1431 CHRISTY DR****JEFFERSON CITY, MO 65101**

Occurred  
06/03/15

ROUTINE  
INSPECTION

Description

Status

OBSERVED: Racks in the proofer have food debris present. NON-CRITICAL  
 OBSERVED: Shelves in the back area where clean lids and pans are kept have debris on the shelves.  
 OBSERVED: Seal on the McCall Proofer is torn NON-CRITICAL

\*\* Manager stated there are new seals on order

**SOUTHWEST EAGLE STOP****1913 SOUTHWEST BLVD****JEFFERSON CITY, MO 65109**

Occurred  
06/11/15

ROUTINE  
INSPECTION

Description

Status

OBSERVED: boxes of single-service cups, lids, etc stored on floor NON-CRITICAL

**TACO BELL #377****1905 SOUTHWEST BLVD****JEFFERSON CITY, MO 65109**

Occurred  
06/15/15

ROUTINE  
INSPECTION

Description

Status

OBSERVED: kitchen air vents and grates show soil and loose paint [replace or repair/clean] NON-CRITICAL  
 OBSERVED: lobby soda machine heads are soiled in appearance [clean] NON-CRITICAL  
 OBSERVED: cabinet door missing from front counter cabinet NON-CRITICAL  
 OBSERVED: cabinet shelf [bottom] is deteriorating and coming apart  
 OBSERVED: trim loose on entrance to walk in cooler  
 OBSERVED: pooled soda drippage present in bag in a box cabinet; drippage present behind and running down wall of drive by soda machine NON-CRITICAL

**TARGET STORES T752--GROCERY****735 W STADIUM BLVD****JEFFERSON CITY, MO 65109**

Occurred  
06/22/15

ROUTINE  
INSPECTION  
0

Description

Status

No Violations Cited

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
BOYS AND GIRLS CLUB OF THE CAPITAL CITY SUMMER FOOD PROGRAM			
727 E ELM ST			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	06/17/15		
0		No Violations Cited	
DOROTHY PACK TEEN CENTER SUMMER FEEDING SITE			
1306 EDMONDS ST			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/10/15		
		[OBSERVED]: Boxed single-serve items stored on floor of mop room.	
		[CORRECTED ON SITE]: Single-serve items were removed from floor and stored at least 6 inches above floor, away from chemicals.	
		[OBSERVED]: Restrooms used by females lack covered trash cans.	
QUALITY INN & SUITES			
1716 JEFFERSON ST			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/26/15		
		OBSERVED: No paper towels present at hand sink.	NON-CRITICAL
SONIC DRIVE IN--ELLIS			
314 ELLIS BLVD			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	06/01/15		
		OBSERVED: Leaking goose neck in the triple sink.	NON-CRITICAL
		OBSERVED: Shelves in the Beverage Air Cooler has debris present	NON-CRITICAL
		OBSERVED: The bottom of the make table has food debris present	
TARGET STORES T752--FOOD AVENUE, PIZZA HUT EXPRESS, & STARBUCKS			
735 W STADIUM BLVD			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/24/15		
		OBSERVED: broken, chipped quarry floor tile present in front of popcorn machine	NON-CRITICAL
		OBSERVED: open, sleeved cups being stored under utility sink drain line in Starbucks	NON-CRITICAL
		CORRECTED ON SITE: cups were placed in leak proof container	
		OBSERVED: flavorings and drink ingredients being stored in and in front of hand wash sink of Starbucks	NON-CRITICAL
		CORRECTED ON SITE: hand sink area was cleared of items blocking sink	
APPLE TREE ACADEMY FOODSERVICE			
2810 E MCCARTY ST			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	06/15/15		
0		No Violations Cited	
HYVEE FOOD STORE-PRODUCE			
3721 W TRUMAN BLVD			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/10/15		
0		No Violations Cited	



**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
LEARNING CONNECTION CHILD DEVELOPMENT CENTER			
136 SCOTT STATION RD			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/02/15		
0	No Violations Cited		
CAPITAL REGION MEDICAL CENTER			
1125 MADISON ST			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	06/09/15		
	OBSERVED: accumulation of packaging material on floor in walk in freezer.		NON-CRITICAL
FAIRFIELD INN			
3621 W TRUMAN BLVD			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/22/15		
0	No Violations Cited		
MOCHAS			
422 MONROE ST			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	06/23/15		
0	No Violations Cited		
LITTLE WONDERS EARLY LEARNING CENTER			
925 S COUNTRY CLUB DR STE E			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/12/15		
	OBSERVED: No approved thermometer reading 0-220 F available for cooks use		NON-CRITICAL
	OBSERVED: Gallons of milk sent to classrooms for use and returned for reuse after serving. Maintain proper temperature and no contamination risk for leftovers.		NON-CRITICAL
CAPITAL 8 THEATERS CONCESSIONS			
3550 COUNTRY CLUB DR			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/08/15		
0	No Violations Cited		
DANDELION PRESCHOOL, LLC			
3525 COUNTRY CLUB DR			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/26/15		
0	No Violations Cited		
CAPITAL CITY CHRISTIAN CHURCH CHILD CARE			
1512 SWIFTS HWY			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	06/30/15		
0	No Violations Cited		

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name &amp; Address

Description**APPLE TREE PRESCHOOL ENRICHMENT PROGRAM****2002 R E MCCARTY ST****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 06/29/15

INSPECTION

0

No Violations Cited

**YMCA--FIRLEY SPORTS SUMMER FOOD PROGRAM****525 ELLIS BLVD****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 06/12/15

INSPECTION

0

No Violations Cited

**WEST MAIN PIZZA****1931 W MAIN ST STE B****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 06/04/15

INSPECTION

0

No Violations Cited

**TACO DEPOT****3600 COUNTRY CLUB DR STE 241****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 06/19/15

INSPECTION

OBSERVED: Raetone 2 door cooler temping 41-45 F, keep at 41 F; manager adjusted unit while on site NON-CRITICAL

OBSERVED: paper towel dispenser in prep area is broken, replace and place paper towels in dispenser NON-CRITICAL

OBSERVED: boxed cups stored on floor in prep area, not 6 inches off floor NON-CRITICAL

**SPIRIT BAR****1102 MISSOURI BLVD****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

FOLLOW-UP 06/01/15

INSPECTION

0

No Violations Cited